


Tactile Indicator Catalog

TACTILE GROUND SURFACE INDICATORS (TGSIS)

amco


ANTI SLIP





amco

ANTI SLIP



TACTILE GROUND SURFACE INDICATORS (TGSIS)

Tactile Indicator

WWW.AMORNMONGKOL.COM

+66(0)2 114 3085

www.amornmongkol.com

info@amcit.co.th

38/91 Moo 19 Bangphli Yai, Bangphli,
Samut Prakarn 10540, Thailand



2025 COLLECTION



CONTENT

- ABOUT AMCO TACTILE
- TACTILE INDICATOR
 - TACTILE STUD / WARNING TACTILE
 - TACTILE STRIP / DIRECTIONAL TACTILE
 - TACTILE TILE / INTEGRATED TACTILE
- STAIR NOSING
- SKATE DETERRENT AND OTHERS

+66(0)2 114 3085



www.amornmongkol.com



info@amcit.co.th



38/91 Moo 19 Bangphli Yai, Bangphli,
Samut Prakarn 10540, Thailand



**All about the
fabulous
world of Amco
Tactile!**

At AMCO Antislip, we offer a premium range of durable, high-visibility, and slip-resistant tactile indicators designed to improve pedestrian safety in all environments. Our tactile solutions are crafted from high-quality materials, including stainless steel, polyurethane, brass, and composite options, to withstand heavy foot traffic and harsh conditions.




TACTILE STUD/WARNING TACTILE

WARNING TACTILE ARE A SERIES OF RAISED DOTS THAT ARE INSTALLED ON PEDESTRIAN SURFACES TO ASSIST IN THE ORIENTATION OF THE VISION IMPAIRED AND GIVE TACTILE WARNING SO THEY MAY SAFELY NAVIGATE THE BUILT ENVIRONMENT.



**Work Closely
with Clients**



**Available in a
range of colors
and designs to
suit all
applications**



**Tested for slip
resistance
requirement
and CE
Certificate**



**Backed by
5 years
Warranty**





Product Code: - amco-DSIOI

Material: 304/316L stainless

Surface: steel

Size: classic circles

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	

(Back solution)



amcoD-SIOI



amco-DSIOIP



amcoD-S153



Product amco-DS108

Material: 304/316L stainless

Surface: PVD insert

Size:

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	CD5*15m
Stem	m

(Range of color)



Product Code: amco-D5102

Material: 304/316L stainless

Surface: circles+ outer

Size: ring

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	ct:>5*15m
Stem	m



Product Code: amco-D5103

Material: 304/316L stainless

Surface: circles

Size:

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	ct:>6*15m
Stem	m




Product Code: amco-D5104

Material: 304/316L stainless

Surface: circles+ outer

ring

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	ct:>7.5*10m
Stem	m



Product amco-DS109BP

Material: 304/316L stainless

Surface: steel

Size:

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	CD8*18m
Stem	m

(Range of color)




Product Code: amco-DS105

Material: 304/316L stainless

Surface: circles

Size:

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	ct:>6*15m
Stem	m



Product Code: amco-DS106

Material: 304/316L stainless

Surface: steel

Size:

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	ct:>5*15m
Stem	m



Product Code: amco-DS107

Material: 304/316L stainless

Surface: circles

Size:

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	ct:>6*12m
Stem	m



Product Code: amco-DS11B

Material: 304/316L stainless

Surface: steel oxidation black+

Size: circles

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	ClI6*12mm
Stem	



Product Code: amcoD-S110P

Material: 304/316L stainless

Surface: PVD black+

Size: circles

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	ClI8*18mm
Stem	



Product Code: amco-DS110G

Material: 304/316L stainless

Surface: PVD gold+

Size: circles

Outer diameter	35mm
diameter Top	25mm
diameter	4.5mm
Thickness	ClI5*15mm
Stem	



Product Code: amco-DS114

Material: 304/316L stainless steel+

Surface: circles

Size:

Outer diameter	35mm
diameter Top	25mm
diameter	5mm
Thickness	ClI8*18mm
Stem	



Product amco-DS121
 Material: 304/316L stainless
 Surface: circles+ outer ring
 Size:

Outer diameter Top	25mm
diameter Top	18mm
diameter	5mm
Thickness	C))6*12m
Stem	m



Product amco-DS122
 Material: 304/316L stainless
 Surface: smooth
 Size:

Outer diameter Top	25mm
diameter Top	18mm
diameter	5mm
Thickness	C))6*12m
Stem	m



Product amco-DS123
 Material: 304/316L stainless
 Surface: circles+ outer
 Size: ring

Outer diameter Top	30mm
diameter Top	20mm
diameter	4.5mm
Thickness	C))7.5*10m
Stem	m



Product amco-DS131
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter Top	30mm
diameter Top	20mm
diameter	4mm
Thickness	C))8*18m
Stem	m




Product amco-DS132
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter Top	30mm
diameter Top	null
diameter	5mm
Thickness	C))6*15m
Stem	m



Product amco-DS133
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter Top	23mm
diameter Top	11mm 3mm
diameter	C))6*15m
Thickness	m
Stem	




Product Code: amco-DS124
 Material: 304/316L stainless steel
 Surface: diamond
 Size:

Outer diameter Top	25mm
diameter Top	15mm
diameter	4mm
Thickness	C))6*10m
Stem	m



Product Code: amco-DS125
 Material: 304/316L stainless steel
 Surface: circles+ outer
 Size:

Outer diameter Top	25mm
diameter Top	15mm
diameter	4.5mm
Thickness	C))7.5*10m
Stem	m




Product Code: amco-DS126
 Material: 304/316L stainless steel
 Surface: smooth
 Size:

Outer diameter Top	25mm
diameter Top	15mm
diameter	4mm
Thickness	C))6*10m
Stem	m



Product Code: amco-DS134
 Material: 304/316L stainless steel
 Surface: smooth
 Size:

Outer diameter Top	25mm
diameter Top	15mm
diameter	5mm
Thickness	C))8*12m
Stem	m



Product Code: amco-DS135
 Material: 304/316L stainless steel
 Surface: lines
 Size:

Outer diameter Top	25mm
diameter Top	15mm 5mm
diameter	C))10*18mm
Thickness	
Stem	



Product Code: amco-DS136
 Material: 304/316L stainless steel
 Surface: circles
 Size:

Outer diameter Top	25mm
diameter Top	15mm
diameter	5mm
Thickness	C))6*15m
Stem	m



Product amco-DS127
 Material: 304/316L stainless
 Surface: diamond
 Size:

Outer diameter Top	25mm
diameter Top	14mm
diameter	4mm
Thickness	C))6*10m
Stem	m



Product amco-DS128
 Material: 304/316L stainless
 Surface: smooth
 Size:

Outer diameter Top	25mm
diameter Top	15mm
diameter	4mm
Thickness	C))8*18m
Stem	m



Product amco-DS129
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter Top	25mm
diameter Top	15mm
diameter	4mm
Thickness	C))6*10m
Stem	m



Product amco-DS137
 Material: 304/316L stainless
 Surface: circles+ outer ring
 Size:

Outer diameter Top	20mm
diameter Top	10mm
diameter	4.5mm
Thickness	C))7.5*10m
Stem	m




Product amco-DS138
 Material: 304/316L stainless
 Surface: steel
 Size: insert

Outer diameter Top	22mm
diameter Top	12mm 5mm
diameter	C))5.5*15m
Thickness	m
Stem	



Product amco-DS139
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter Top	22mm
diameter Top	12mm
diameter	5mm
Thickness	C))6*25m
Stem	m




Product amcoDS153
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	4.5mm
Thickness	



Product amco-DS154
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	4.5mm
Thickness	



Product amco-DS155
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	7mm
Thickness	



Product amcoDS151
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter	30mm
Top diameter	20mm
diameter	4mm
Thickness	




Product amco-DS152
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	3mm
Thickness	



Product amco-DS163
 Material: 304/316L stainless
 Surface: circles
 Size:

Outer diameter	25mm
Top diameter	15mm
diameter	4mm
Thickness	




Product Code: -
 amcoDB201 Material:
 Brass Surface:
 circles Size:

Outer diameter	35mm
Top diameter	25mm
diameter	5mm
Thickness	<D6*12mm
Stem	



Product amco-DS157
 Material: 304/316L stainless
 Surface: steel
 Size: insert

Outer diameter	35mm
Top diameter	25mm
diameter	4.5mm
Thickness	




Product amco-DS156
 Material: 304/316L stainless
 Surface: steel
 Size: insert

Outer diameter	35mm
Top diameter	25mm
diameter	4.5mm
Thickness	



Product amco-DS159G
 Material: 304/316L stainless
 Surface: steel
 Size: insert

Outer diameter	35mm
Top diameter	25mm
diameter	3mm
Thickness	




Product amco-DS160
 Material: 304/316L stainless
 Surface: stainless infill
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	3mm
Thickness	



Product amco-DS164
 Material: 304/316L stainless
 Surface: stainless infill
 Size:

Outer diameter	25mm
Top diameter	15mm
diameter	4mm
Thickness	




Product amco-DS162
 Material: 304/316L stainless
 Surface: stainless infill
 Size:

Outer diameter	25mm
Top diameter	15mm
diameter	4mm
Thickness	



Product amco-DB202
 Material: 304/316L stainless
 Surface: circles+ outer
 Size: ring

Outer diameter	35mm
Top diameter	25mm
diameter	4.5mm
Thickness	<D5*15mm
Stem	



Product amco-DB203
 Material: Brass
 Surface: diamond
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	4.5mm
Thickness	<D6*12m
Stem	m



Product amcoDB204
 Material: Brass
 Surface: circles+ outer
 Size: ring

Outer diameter	35mm
Top diameter	25mm
diameter	4.5mm
Thickness	<D8*18m
Stem	m



Product amco-DB206
 Material: Brass
 Surface: carbide infill
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	5mm
Thickness	<D6*15mm
Stem	



Product Code: -
 amco-DB207
 Material: Brass
 Surface: PU insert
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	5mm
Thickness	<D6*15mm
Stem	




Product Code: -
 amco-DB208
 Material: Brass
 Surface: bronze smooth
 Size:

Outer diameter	35mm
Top diameter	20mm
diameter	5mm
Thickness	<D6*15mm
Stem	




Product Code: amco-DB212
 Material: Brass Surface: circles
 Size:

Outer diameter	35mm
diameter	25mm
Top diameter	3mm
Thickness	



Product Code: amco-DB221
 Material: Brass Surface: carbide infill
 Size:

Outer diameter	35mm
diameter	28mm
Top diameter	3mm
Thickness	



Product Code: amco-DB221
 Material: Brass Surface: circles
 Size:

Outer diameter	25mm
diameter Top	15mm
diameter	4mm
Thickness	

Installation




Classic stem

Solution of install
 Drill and glue stick.



PU plug

Solution of install
 Drill and pressure fit.



3M tape

Solution of install
 Direct stick.




Product Code: amco-DA302
 Material: Aluminium Surface: natural oxidation
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	3mm
Thickness	ct:>6*10m
Stem	m



Product Code: amco-DA302
 Material: Aluminium Surface: natural oxidation
 Size:


Outer diameter	35mm
Top diameter	25mm
diameter	3mm
Thickness	ct:>6*10m
Stem	m



Product Code: amco-DA302
 Material: Aluminium Surface: natural oxidation
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	5mm
Thickness	ct:>6*15m
Stem	m

Template for Installation




Material: Stainless steel/
 Aluminium
 Size: 300*300mm/
 customized

(Free template if confirm the purchase)



Product Code: amco-DPS01
 Material: Polyurethane/PU/TPU
 Surface: circles
 Size:

Outer diameter	35mm
Top diameter	25mm
diameter	5mm
Thickness	ct:>8*20m
Range of Stem	m



TACTILE STRIP/DIRECTIONAL TACTILE

DIRECTIONAL TACTILE ARE A SERIES OF RAISED BARS THAT ARE INSTALLED ON PEDESTRIAN SURFACES TO ASSIST IN THE ORIENTATION OF THE VISION IMPAIRED AND GIVE TACTILE WARNING SO THEY MAY SAFELY NAVIGATE THE BUILT ENVIRONMENT.



Product Code: amco-TS001
 Material: 304/316L stainless steel
 Surface: lines
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	(J)6*15mm



Product Code: amco-TS021B
 Material: 304/316L stainless steel
 Surface: Oxidation black
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	<ll6*15mm



Product Code: amco-TS005
 Material: 304/316L stainless steel
 Surface: smooth
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	<ll6*15mm



Product Code: amco-TS007
 Material: 304/316L stainless steel
 Surface: diamond
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	<ll6*15mm



Product Code: amco-TS010
 Material: 3304/316L stainless steel+ PU
 Surface: lines
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	<ll6*15mm



Product Code: amco-TS011
 Material: 304/316L stainless steel
 Surface: carbide infill
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	<ll6*15mm



Product Code: amco-TS015
 Material: 304/316L stainless steel
 Surface: PU insert
 Size:

Length	280mm
Diameter	35mm
Thickness	5mm
Stem	<ll6*15mm





Product amco-TB201
 Material: 304/316L stainless steel
 Surface: diamond
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm



Product amco-TB204
 Material: 304/316L stainless steel
 Surface: lines
 Size:

Length	280mm
Diameter	30mm
Thickness	4mm



Product amco-TB205
 Material: 304/316L stainless steel
 Surface: lines
 Size:

Length	300mm
Diameter	30mm
Thickness	4mm



Product amco-TB206
 Material: Brass
 Surface: lines
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	CD6*15m



Product amco-TB207
 Material: Brass
 Surface: diamond
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	CD6*15m



Product amco-TB208
 Material: Brass
 Surface: carbide infill
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	CD6*15m



Product amco-TS022
 Material: 304/316L stainless steel+PU
 Surface: PU
 Size: insert

Length	290mm
Diameter	27mm
Thickness	5mm



Product amco-TS014
 Material: 304/316L stainless steel
 Surface: carbide infill
 Size:

Length	280mm
Diameter	27mm
Thickness	5mm



Product amco-TS023
 Material: 304/316L stainless steel
 Surface: carbide infill
 Size:

Length	300mm
Diameter	30mm
Thickness	4mm



Product amco-TA101
 Material: Aluminium
 Surface: lines
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	CD6*15m



Product amco-TA105
 Material: 3Aluminium
 Surface: diamond
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm
Stem	CD6*15m



Product amco-TA106B
 Material: Aluminium
 Surface: Oxidation
 Size: black

Length	280mm
Diameter	35mm
Thickness	3mm



Product Code: amcoTS012
 Material: 304/316L stainless steel
 Surface: PU insert
 Size:

Length	280mm
Diameter	35mm
Thickness	4.5mm

Range of color:



Product amco-TA102
 Material: Aluminium
 Surface: lines
 Size:

Length	300mm
Diameter	30mm
Thickness	4mm



Product amco-TA103L
 Material: Aluminium
 Surface: polished
 Size: oxidation

Length	450mm
Diameter	30mm
Thickness	4mm




Product amco-TPS01
 Material: Polyurethane
 Surface: customized/PU/TPU
 Size: color

Length	280mm
Diameter	35mm
Thickness	5mm
Stem	CD8*20m



TACTILE TILE/ INTEGRATED TACTILE

INTEGRATED TACTILE ARE A SERIES OF RAISED DOTS/STRIPS ON A BACKING PLATE THAT ARE INSTALLED ON PEDESTRIAN SURFACES AS A COMPLETE UNIT TO ASSIST IN THE ORIENTATION OF THE VISION IMPAIRED AND GIVE TACTILE WARNING SO THEY MAY SAFELY NAVIGATE THE BUILT ENVIRONMENT.



Product Code: amco-BPS01
 Material: Polyurethane/PU/TPU
 Surface: customized color
 Size:


Length	300mm
Width	300mm
Thickness	7mm
Others	Self-adhesive



Product Code: amco-BP502
 Material: Polyurethane/PU/TPU
 Surface: customized color
 Size:


Length	300mm
Width	300mm
Thickness	7mm
Others	Self-adhesive






Product Code: amco-BS105
 Material: 304/316L stainless steel
 Size:

Length	300mm
Width	300mm
Thickness	7mm



Product Code: amco-BS101
 Material: 304/316L stainless steel
 Size:

Length	300mm
Width	300mm
Thickness	7mm



Product Code: amco-B5104
 Material: 304/316L stainless steel
 Size:

Length	300mm
Width	300mm
Thickness	7mm




Product Code: amco-BS102
 Material: 304/316L stainless steel
 Size:

Length	300mm
Width	300mm
Thickness	7mm



Product Code: amco-BS103
 Material: 304/316L stainless steel
 Size:

Length	300mm
Width	300mm
Thickness	7mm



STAIR NOSING

WITH SEVERAL DESIGNS AND FINISHES AVAILABLE, OUR RANGE OF EDGING AND STAIR TREADS PROVIDE A COMPLIANT SOLUTION WITH A FLAWLESS FINISH.




Product Code: amco-SN301
 Material: Aluminium+ carbide
 Size:

Width	75mm
Height	22mm
Length	customized



Product Code: amco-SN302
 Material: Aluminium+ luminous
 Size:

Width	75mm
Height	10mm
Length	customized



Product Code: amco-SN303
 Material: Aluminium+ rubber
 Size:

Width	60mm
Height	21mm
Length	customized



Product Code: amco-SN304
 Material: Aluminium
 Size:

Width	45mm
Height	20mm
Length	customized



Product Code: amco-SN201
 Material: Brass
 Size:

Width	60mm
Height	23mm
Length	customized



Product Code: amco-SN202
 Material: Brass
 Size:

Width	40mm
Height	3mm
Length	customized



Product Code: amco-SN601
 Material: Fiberglass+ carbide
 Size:

Width	75mm
Height	30mm
Length	customized



Product Code: amco-SN602B
 Material: Fiberglass
 Size:

Width	50mm
Height	4mm
Length	customized



Product Code: amco-SN602Y
 Material: Fiberglass
 Size:

Width	50mm
Height	4mm
Length	customized



Product Code: amco-SN203
 Material: Brass
 Size:

Width	40mm
Height	3mm
Length	customized



Product Code: amco-SN205
 Material: Brass
 Size:

Width	32mm 7mm
Height	customized
Length	



SKATE DETERRENT

SKATE DETERRENTS ARE THE IDEAL WAY TO PROTECT PROPERTY FROM THE DAMAGE CAUSED BY SKATERS AND SKATEBOARDERS, THEY ARE SUITABLE FOR USE ON A WIDE RANGE OF SURFACES, SUCH AS PLANTERS, RETAINING WALLS, HANDRAILS, BENCHES ETC.



Product Code: amco-DC002
 Material: 304/316L stainless steel
 Surface: matt/mirror
 Size:

Width	20mm
Height	44mm 8mm
Length	()8*40mm
Stem	



Product Code: amco-DC001
 Material: 304/316L stainless steel
 Surface: circle s
 Size:

Width	50mm
Height	40mm
Length	5mm
Stem	()8*12mm



Product Code: amco-DC003
 Material: 304/316L stainless steel
 Surface: smooth
 Size:

Width	45mm
Height	20mm
Stem	()10*20mm



Product Code: amco-PE901
 Material: PVC tape
 Surface: carbide
 Width and length could be customized.



Product Code: amco-PE902
 Material: PET tape
 Surface: carbide
 Width and length could be customized.

TACTILE STUD/WARNING TACTILE

Stainless steel tactile stud/warning tactile	05/09
Brass tactile stud/warning tactile	10/11
Aluminium tactile stud/warning tactile	11
Polyurethane tactile stud/warning tactile	11

TACTILE STRIP/DIRECTIONAL TACTILE

Stainless steel tactile strip/directional tactile	14/15
Brass tactile strip/directional tactile	16
Aluminium tactile strip/directional tactile	16
Polyurethane tactile strip/directional tactile	16

TACTILE TILE/INTEGRATED TACTILE

Polyurethane tactile tile/integrated tactile	18
Stainless steel tactile tile/integrated tactile	19

STAIR NOSING

Aluminium stair nosing	21
Fiberglass stair nosing	21
Brass stair nosing	22

SKATE DETERRANT

Skate deterrant	26
Carbide Tape	26



YONGKANG RUNYAN HARDWARE PRODUCTS CO., LTD



Tel: +86 579 8759 3231
Fax: +86 579 8759 3231
Mob: +86 151 5796 5822



sales@ykrunyan.com
info@ykrunyan.com



www.ykrunyan.com



Tongxi Industrial Zone,
Yongkang city, Zhejiang Prov.,
China 321300

New products coming soon...